

GALVANISED CONDUIT & FITTINGS

A No Threading Alternative For Installing Galvanised Steel Conduit

A New Alternative Way To Install Galvanised Steel Conduit With **No Threading** !
Install Galvanised Steel Conduit Faster With The New Adaptors From FirstFlex Cables.

1. Cut conduit to required length.
2. Wipe surfaces to be joined.
3. Apply recommended MTA001 adhesive to the outer surface of the conduit
4. Adaptors may be pressed onto the conduit by hand, or tapped on. Ensure that the conduit passes the dimple – this maintains a constant earth.
5. Job complete !

Reduction in tooling and threading time. Tested and approved to AS/NZS 2053:7:1995

MALE THREAD TO FEMALE PLAIN METAL ADAPTORS



PART NUMBER	SIZE	
GCMTA 20	20 mm	
GCMTA 25	25 mm	
GCMTA 32	32 mm	
GCMTA 40	40 mm	
GCMTA 50	50 mm	
GCMTA 001	ADHESIVE 50ml	100 JOINTS

FEMALE THREAD TO FEMALE PLAIN METAL ADAPTORS



PART NUMBER	SIZE	
GCFTA 20	20 mm	
GCFTA 25	25 mm	
GCFTA 32	32 mm	
GCFTA 40	40 mm	
GCMTA 001	ADHESIVE 50ml	100 JOINTS

FEMALE PLAIN TO FEMALE PLAIN METAL ADAPTORS



PART NUMBER	SIZE	
GCFPC 20	20 mm	
GCFPC 25	25 mm	
GCFPC 32	32 mm	
GCFPC 40	40 mm	
GCFPC 50	50 mm	
GCMTA 001	ADHESIVE 50ml	100 JOINTS

CONDUIT – GALVANISED STEEL (4m LENGTHS)



PART NUMBER	SIZE	NOMINAL THICKNESS
GCCON 20	20 mm (O.D.)	1.6 mm
GCCON 25	25 mm (O.D.)	1.8 mm
GCCON 32	32 mm (O.D.)	1.8 mm
GCCON 40	40 mm (O.D.)	1.8 mm
GCCON 50	50 mm (O.D.)	2.0 mm

PLAIN 90° BENDS



PART NUMBER	SIZE
GCPB 20	20 mm
GCPB 25	25 mm
GCPB 32	32 mm
GCPB 40	40 mm
GCPB 50	50 mm



P (09) 264 1000 **F** (09) 264 1001
E sales@firstflex.co.nz
W www.firstflex.co.nz

GALVANISED CONDUIT & FITTINGS

INSPECTION 90° BENDS



PART NUMBER	SIZE
GCIB 20	20 mm
GCIB 25	25 mm
GCIB 32	32 mm
GCIB 40	40 mm
GCIB 50	50 mm

PLAIN 90° ELBOWS



PART NUMBER	SIZE
GCPE 20	20 mm
GCPE 25	25 mm
GCPE 32	32 mm

INSPECTION 90° ELBOWS



PART NUMBER	SIZE
GCIE 20	20 mm
GCIE 25	25 mm
GCIE 32	32 mm

INSPECTION TEES



PART NUMBER	SIZE
GCIT 20	20 mm
GCIT 25	25 mm
GCIT 32	32 mm
GCIT 40	40 mm
GCIT 50	50 mm

INSPECTION COUPLINGS



PART NUMBER	SIZE
GCIC 20	20 mm
GCIC 25	25 mm
GCIC 32	32 mm
GCIC 40	40 mm
GCIC 50	50 mm

PLAIN COUPLINGS



PART NUMBER	SIZE
GCPC 20	20 mm
GCPC 25	25 mm
GCPC 32	32 mm
GCPC 40	40 mm
GCPC 50	50 mm

GALVANISED CONDUIT & FITTINGS

GALVANISED JUNCTION BOXES 1 WAY C/W LID & SCREWS



PART NUMBER	SIZE
GCJB 20/1	20 mm 1 Way
GCJB 25/1	25 mm 1 Way
GCJB 32/1	32 mm 1 Way
GCJB 40/1	40 mm 1 Way
GCJB 50/1	50 mm 1 Way

GALVANISED JUNCTION BOXES 2 WAY C/W LID & SCREWS



PART NUMBER	SIZE
GCJB 20/2	20 mm 2 Way
GCJB 25/2	25 mm 2 Way
GCJB 32/2	32 mm 2 Way
GCJB 40/2	40 mm 2 Way
GCJB 50/2	50 mm 2 Way

GALVANISED JUNCTION BOXES 3 WAY C/W LID & SCREWS



PART NUMBER	SIZE
GCJB 20/3	20 mm 3 Way
GCJB 25/3	25 mm 3 Way
GCJB 32/3	32 mm 3 Way
GCJB 40/3	40 mm 3 Way
GCJB 50/3	50 mm 3 Way

GALVANISED JUNCTION BOXES 4 WAY C/W LID & SCREWS



PART NUMBER	SIZE
GCJB 20/4	20 mm 4 Way
GCJB 25/4	25 mm 4 Way
GCJB 32/4	32 mm 4 Way
GCJB 40/4	40 mm 4 Way
GCJB 50/4	50 mm 4 Way

GALVANISED JUNCTION BOXES ANGLED C/W LID & SCREWS



PART NUMBER	SIZE
GCJB 20/A	20 mm Angled
GCJB 25/A	25 mm Angled
GCJB 32/A	32 mm Angled
GCJB 40/A	40 mm Angled
GCJB 50/A	50 mm Angled

SIZE	APPROXIMATE DIMENSIONS
20 mm	Internal Diameter 60.3 mm – Internal Depth 25.4 mm – Wall Thickness 4.5 mm
25 mm	Internal Diameter 60.3 mm – Internal Depth 25.4 mm – Wall Thickness 4.5 mm
32 mm	Internal Diameter 81.0 mm – Internal Depth 40.0 mm – Wall Thickness 5.0 mm
40 mm	Internal Diameter 81.0 mm – Internal Depth 50.0 mm – Wall Thickness 5.0 mm
50 mm	Internal Diameter 81.0 mm – Internal Depth 60.0 mm – Wall Thickness 5.0 mm

GALVANISED CONDUIT & FITTINGS

GALVANISED LOCKNUTS



PART NUMBER	SIZE
GCLN 16	16 mm
GCLN 20	20 mm
GCLN 25	25 mm
GCLN 32	32 mm
GCLN 40	40 mm
GCLN 50	50 mm

BOX LIDS + SCREWS



PART NUMBER	SIZE
GCBLS	Small Lid 20/25 mm 2 Screws
GCBLL	Large Lid 32/40/50 mm 4 Screws
GCJBSS	Small Screw For Box Lid
GCJBSL	Large Screw For Box Lid

RUBBER GASKET



PART NUMBER	SIZE
GCRGS	Small 20/25 mm
GCRGL	Large 32/40/50 mm

PENDANT PLATE (DOME COVER)



PART NUMBER	SIZE
GCPP 20	20 mm
GCPP 25	25 mm

HEX PLUGS



PART NUMBER	SIZE
GCP 20	20 mm
GCP 25	25 mm
GCP 32	32 mm
GCP 40	40 mm
GCP 50	50 mm

HOSPITAL SADDLES



PART NUMBER	SIZE	mm OFF WALL
GCHS 20	20 mm	8.8
GCHS 25	25 mm	9.0
GCHS 32	32 mm	12.0
GCHS 40	40 mm	12.7
GCHS 50	50 mm	14.0

GALVANISED CONDUIT & FITTINGS

NIPPLES



PART NUMBER	SIZE
GCN 16	16 mm
GCN 20	20 mm
GCN 25	25 mm
GCN 32	32 mm
GCN 40	40 mm
GCN 50	50 mm

BRASS FEMALE BUSH (RING)



PART NUMBER	SIZE
GCFB 20	20 mm
GCFB 25	25 mm
GCFB 32	32 mm
GCFB 40	40 mm
GCFB 50	50 mm

BRASS MALE BUSH (SMOOTH BORE)



PART NUMBER	SIZE
GCMB 20	20 mm
GCMB 25	25 mm
GCMB 32	32 mm
GCMB 40	40 mm
GCMB 50	50 mm

GALVANISED HEX REDUCERS



PART NUMBER	SIZE
GCR 20-16	20-16 mm
GCR 25-20	25-20 mm
GCR 32-25	32-25 mm
GCR 40-32	40-32 mm
GCR 50-40	50-40 mm
GCR 63-50	63-50 mm

UNIONS



PART NUMBER	SIZE
GCU 25	25 mm
GCU 32	32 mm

GALVANISED CONDUIT & FITTINGS

LOOP



PART NUMBER	SIZE
GLOOP 20	20 mm

HOOK



PART NUMBER	SIZE
GHOOK 20	20 mm

BENDER HEAD FOR GALVANISED CONDUIT



PART NUMBER	SIZE
GCBENDHEAD20	20 mm
GCBENDHEAD25	25 mm
GCBENDHANDLE20	20 mm
GCBENDHANDLE25	25 mm

STOCK AND DIE SET (c/w DIES & GUIDES) FOR GALVANISED CONDUIT



PART NUMBER	SIZE
GCSTOCKDIE 20/25	20 & 25 mm
GCSTOCKDIE 32	32 mm

SPARE DIE ONLY FOR GALVANISED CONDUIT



PART NUMBER	SIZE
GCDIE 20	20 mm
GCDIE 25	25 mm
GCDIE 32	32 mm

SPARE GUIDE ONLY FOR GALVANISED CONDUIT DIE



PART NUMBER	SIZE
GCGUIDE 20	20 mm
GCGUIDE 25	25 mm
GCGUIDE 32	32 mm