



METER BOXES, PVC PANELS, DIN RAIL & GASKETS

Meter Boxes.....	256
PVC Switchboard Panels	257
Aluminium Extrusion DIN Rail	258
Extruded PVC Gasket.....	258





Meter Boxes with Flashing

Manufactured locally, with materials that provide excellent mechanical, thermal and electrical properties. The rust proof construction is particularly suitable in New Zealand's highly corrosive coastal environments.

Meter Box - Double Window

- ▶ Size: 600mm high x 400mm wide x 210mm deep
- ▶ Flammability test UL 94 HB
- ▶ Surface or flush mountable
- ▶ Flashing kit included for weather tightness
- ▶ 15mm foamed PVC sheet backboard for front wiring and easy mounting of components
- ▶ IPX4

Code: MGB1

Meter Box - Single Window

- ▶ Size: 400mm x 400mm x 175mm
- ▶ Flammability test UL94 V0
- ▶ Surface or flush mountable
- ▶ Flashing kit included for weather tightness

Code: MGB2



METER BOXES, PVC PANELS, DIN RAIL & GASKETS



Frame to fit meter box

Apply weather proofing

Seal corners

Fix meter box in place

Fix flashing

Seal flashing

Ready for wiring



Firstflex has taken every precaution to ensure accurate information in this catalogue, but accept no liability for any errors or omissions. Firstflex reserves the right to modify specifications at any time.



PVC Switchboard Panels

- ▶ All PVC panels are self extinguishing and made from flame retardant materials.
- ▶ Different thicknesses available, ranging from 2mm (clear & white only) 3mm, 4.5mm, 6mm and 10mm (grey or white) panels cut to size and available upon request.
- ▶ Formica panels available on request.

PVC Switchboard Panels		
Code	Description	
PP300 x 300	PVC	300mm x 300mm x 4.5mm
PP450 x 300	PVC	450mm x 300mm x 4.5mm
PP450 x 450	PVC	450mm x 450mm x 4.5mm
PP600 x 450	PVC	600mm x 450mm x 6mm
PP600 x 600	PVC	600mm x 600mm x 6mm
PP900 x 600	PVC	900mm x 600mm x 6mm
PP900 x 900	PVC	900mm x 900mm x 6mm
PPM1	PVC M1	555mm x 360mm x 4.5mm
PPM2	PVC M2	555mm x 555mm x 4.5mm



We can supply
SPECIAL
CUT-TO-SIZE
 panels at your request.

And QUICKLY too!

Whatever your
 customer requirements, call us
 for PVC Switchboard Panels.

METER BOXES, PVC PANELS, DIN RAIL & GASKETS

METER BOXES, PVC PANELS, DIN RAIL & GASKETS

Aluminium Extrusion DIN Rail

Standard section includes slotted mounting holes.
Slotted mounting holes are -
6.3mm (W) x 18mm (L) @ 25mm centres.

EXTRUSION PROFILES

Standard - 10mm deep with 1.7mm wall thickness.

Heavy Duty - 10mm deep with 2mm wall for strength.

Low Profile - 7.2mm deep with 1.5mm wall thickness.



Aluminium Extrusion DIN Rail

Code	Description
ALD1P	Standard, 1m, Punched
ALD2P	Standard, 2m, Punched
ALD3P	Standard, 3m, Punched
ALDP1HD	Heavy Duty, 1m, Punched
ALDP2HD	Heavy Duty, 2m, Punched
ALDP3HD	Heavy Duty, 3m, Punched
ALD1PL	Low Profile, 1m, Punched

Extruded PVC Gasket



Extruded PVC Gasket

Code	Size		
GASS (Small)	5mm H	2mm T	10m L
GASL (Large)	8mm H	3.5mm T	10m L